[воок] Deploying the Tivoli Storage Manager Client in a Windows 2000 Environment - all 9 versions »

P Randall... - 2001 - urz.uni-heidelberg.de

... Table 2. Tivoli Storage Manager client support for Windows 2000 Windows 2000 component

Explicit Support by v4.1.2 ... Registry yes ... File Replication service yes ...

Cited by 1 - Related Articles - View as HTML - Web Search - Library Search

Introducing Windows 2000 Security: Features and Management

D Goldman - Information Systems Security, 2000 - informaworld.com ... privilege Disabled event for each file access during a ... users when Enabled EnableForcedLogoff registry key which ... under LanManServer\Parameters in Windows

Web Search - BL Direct

[BOOK] Windows 2000 System Administration Handbook

W Willis, D Watts, T Strahan - 2000 - docs-asia electrocomponents.com ... Disk Partition Limitations. Choosing a File System. Page 2. ... Guidelines for Group Policy. Implementing Registry-Based Settings. ... Windows 2000 Hard Disk Basics. ... Web Search - Library Search

Gooooooogle >

Result Page:

1 2 3 4 5 6 7 8 9 10

Search Windows registry file replication serv

Google Home - About Google - About Google Scholar

©2007 Google

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L5	1	replica with software with updat\$4 with remote	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/30 10:08
L6	182	windows with registry with updat\$\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/30 10:08
L7	5	windows with registry with updat\$3 and "FRS"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/30 10:09
L8	0	windows with registry with updat\$3 and (file with replication with sytem)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/30 10:09
L9	0	windows with registry and (file with replication with sytem)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/10/30 10:09
L10	8	windows with registry and (file with replication with service)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/30 10:10
L11	227	antivirus with updat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/30 10:11
L12	25	antivirus with updat\$4 with (automatic\$\$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/30 11:23

r						
L13	25	antivirus with updat\$4 with (automatic\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/30 10:11
S63	1818	microsoft.as. and registry and (replia or replication or delta or chang\$4) and (execut\$6 or script or manifest)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/29 13:48
S64	834	microsoft.as. and registry and (replia or replication or delta or chang\$4) and (execut\$6 or script or manifest) with (creat\$4 or generat\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/29 13:49
S65	2	"6381742".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/29 13:49
S66	70	microsoft.as. and registry and (replia or replication or delta or chang\$4) and (execut\$6 or script or manifest) with (creat\$4 or generat\$6) with database	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/29 13:53
S67	26205	microsoft.as. and registry and (replia or replication or delta or chang\$4) and (execut\$6 or script or manifest) with (creat\$4 or generat\$6) and database adn global\$3 with uniqu\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/29 13:54
S68	156	microsoft.as. and registry and (replia or replication or delta or chang\$4) and (execut\$6 or script or manifest) with (creat\$4 or generat\$6) and database and global\$3 with uniqu\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/29 13:54
S69	142	microsoft.as. and registry and (replia or replication or delta or chang\$4) and (execut\$6 or script or manifest) with (creat\$4 or generat\$6) and database and global\$3 with uniqu\$4 with (identif\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/29 13:55

S70	76	microsoft.as. and registry and (replia or replication or delta or chang\$4) and (execut\$6 or script or manifest) with application with (creat\$4 or generat\$6) and database and global\$3 with uniqu\$4 with (identif\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/29 13:58
S71	5	microsoft.as. and registry and (replia or replication or delta or chang\$4) and (execut\$6 or script or manifest) with application with (creat\$4 or generat\$6) and database and global\$3 with uniqu\$4 with (identif\$4) and resource and database with (compar\$7 or match\$4 or search\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/29 17:10
S72	996	file with system with replication	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/29 17:10
S73	169	file with system with replication and replica with (id or set or identif\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/29 17:11
S74	80	file with system with replication and replica with (id or set or identif\$5) and version and database	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/29 17:11
S75	9	file with system with replication and replica with (id or set or identif\$5) and version and database and registry	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/29 17:18
S78	2	"6542907".pn. and replica	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/29 17:15

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	10	ORBITS.in. and global\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/30 12:56
L2	167	GARG.in. and global\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/30 12:56
L3	13	GARG.in. and global\$4 with uniqu\$3 with (id or identifi\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/30 12:59
L4	3	CHITRE.in. and global\$4 with uniqu\$3 with (id or identifi\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/30 13:09
L5	8	replica with set and global\$4 with uniqu\$3 with (id or identifi\$4) and registry	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/30 13:11
L6	1	replica with (updat\$4 or install\$6) with (software or component) and global\$4 with uniqu\$3 with (id or identifi\$4) and registry	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/30 13:12
L7	50	replica and (updat\$4 or install\$6) with (software or component) and global\$4 with uniqu\$3 with (id or identifi\$4) and registry	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/30 13:12
L8	17	replica and (updat\$4 or install\$6) with (software or component) and global\$4 with uniqu\$3 with (id or identifi\$4) and registry with (updat\$4 or modif\$4 or append\$4 or chang\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/30 15:16

L9	47	(replica or copy) same version and (updat\$4 or install\$6) with (software or component) and global\$4 with uniqu\$3 with (id or identifi\$4) and registry with (updat\$4 or modif\$4 or append\$4 or chang\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/30 15:29
L10	7	(replica or copy) same version and (updat\$4 or install\$6) with (software or component) and global\$4 with uniqu\$3 with (id or identifi\$4) and registry with (updat\$4 or modif\$4 or append\$4 or chang\$4 or upgrad\$3) with (application or software or component) and (creat\$4 or build\$4 or issue\$4 or transmit\$5 or generat\$6 or produc\$5) with (install\$\$ or library or manifest or configuration or execut\$5 or ".dll" or "zip") with file	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/30 14:57
L11	1	(replica or copy) same version and (updat\$4 or install\$6) with (software or component) and global\$4 with uniqu\$3 with (id or identifi\$4) and registry with (updat\$4 or modif\$4 or append\$4 or chang\$4 or upgrad\$3) with (application or software or component) and (creat\$4 or build\$4 or issue\$4 or transmit\$5 or generat\$6 or produc\$5) with (install\$\$\$ or library or manifest or configuration or execut\$5 or ".dll" or "zip") with file and (lock\$4 or freez\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/30 14:54
L12	1	(replica or copy) same version and (updat\$4 or install\$6) with (software or component) and global\$4 with uniqu\$3 with (id or identifi\$4) and registry with (updat\$4 or modif\$4 or append\$4 or chang\$4 or upgrad\$3) with (application or software or component) and (creat\$4 or build\$4 or issue\$4 or transmit\$5 or generat\$6 or produc\$5) with (install\$\$\$\$ or library or manifest or configuration or execut\$5. or ".dll" or "zip") with file and (lock\$4 or freez\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/30 14:56

	<u> </u>			r		· · · · · · · · · · · · · · · · · · ·
L13	7	(replica or copy) same version and (updat\$4 or install\$6) with (software or component) and global\$4 with uniqu\$3 with (id or identifi\$4) and registry with (updat\$4 or modif\$4 or append\$4 or chang\$4 or upgrad\$3) with (application or software or component) and (creat\$4 or build\$4 or issue\$4 or transmit\$5 or generat\$6 or produc\$5) with (install\$\$ or library or manifest or configuration or execut\$5 or ".dll" or "zip") with file and registry	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/30 14:59
L14	13	(replica or copy) same version and (updat\$4 or install\$6) with (software or component) and global\$4 with uniqu\$3 with (id or identifi\$4) and registry with (updat\$4 or modif\$4 or append\$4 or chang\$4 or upgrad\$3 or edit\$4) with (application or software or component) and (creat\$4 or build\$4 or issue\$4 or transmit\$5 or generat\$6 or produc\$5 or construct\$5) with (install\$\$\$\$ or library or manifest or configuration or execut\$5 or ".dll" or "zip") with file and registry	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/30 15:03
L15	13	(replica or copy) same version and (updat\$4 or install\$6) with (software or component) and global\$4 with uniqu\$3 with (id or identifi\$4) and registry with (updat\$4 or modif\$4 or append\$4 or chang\$4 or upgrad\$3 or edit\$4) with (application or software or component) and (creat\$4 or build\$4 or issue\$4 or transmit\$5 or generat\$6 or produc\$5 or construct\$5) with (install\$6 or library or manifest or configuration or execut\$5 or ".dll" or "zip" or meta) with file and registry	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/10/30 15:11
L16	2	"5812773".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/10/30 15:18

L17	2	"5812773".pn. and replica	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/30 15:19
L18	47	(replica or copy) same version and (updat\$4 or install\$6) with (software or component) and global\$4 with uniqu\$3 with (id or identifi\$4) and registry with (updat\$4 or modif\$4 or append\$4 or chang\$4) and registry	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/30 16:15

Introducing Windows 2000 Security: Features and Management

Author: David Goldman

DOI: 10.1201/1086/43311.9.4.20000910/31367.7

Publication Frequency: 6 issues per year

Published in: Information Systems Security, Volume 9, Issue 4 September 2000,

pages 1 - 9

Subjects: Business Information Systems; Computer Engineering; Computer Fraud; Computing & IT Security; Databases; Hacking & Viruses; IT & the Law; Networks;

Piracy & Data Protection; Privacy & Data Protection; Systems Integration;

Formats available: PDF (English)

Abstract

Although Windows 2000 has been out for several months now, many companies are employing a "wait and see" approach, while others have relegated the software to the confines of engineering. As a result, many systems administrators and operations support personnel may not have had an opportunity to explore the new operating system and obtain a solid understanding of its enhancements. This article explores two major areas of Windows 2000: the new security features and the new toolset for management of those features. It is assumed that the reader has a solid understanding of the tools and security features available in Windows NT 4.0.